

ROOF FRAMING PLAN - UNIT 'G'

1/8" = 1'-0

ROOF CONSTRUCTION: 1 1/2"-20 GA. (WIDE RIB) METAL DECK WELDED TO SUPPORTING STEEL

TOP OF STEEL BEAM ELEV. SHOWN (+) ARE REFERENCED FROM FIN. FLOOR ELEV. 798.60'

SEE DWG. S-17 FOR TRUSS ELEVATIONS AND DETAILS

TYP. ROOF JOIST BRIDGING NOTE: PROVIDE CONT. HORIZ. BRIDGING (SIZE & SPACING PER LATEST S.J.I. SPECS.) WELDED TO TOP & BOT. JOIST CHORDS & ADD 1/4" x 1 1/4" x 1/8" & CROSS BRIDGING @ END JOIST BAYS WELDED TO JOIST CHORDS & AT INTERSECTION

DATES AND REVISIONS

8-6-75 FOR BIDS

NOTICE

THIS ARCHITECTURAL AND ENGINEERING DRAWING IS GIVEN IN CONFIDENCE. NO USE OR DISSEMINATION MAY BE MADE WITHOUT PRIOR WRITTEN CONSENT OF THE ARCHITECT. ALL COMMON LAW RIGHTS OF COPYRIGHT AND OTHERWISE ARE HEREBY SPECIFICALLY RESERVED.

RLB JOB NO. 00875PF

STATE OF OHIO GENSERT 16214 PELLER E 36344 REGISTERED PROFESSIONAL ENGINEER

STATE OF OHIO RICHARD L. BOWEN 3109 REGISTERED ARCHITECT

phase 7 south and north terminals, collector structural steel

cle cleveland hopkins international airport terminal expansion

CHECKED BY RJM

DRAWN BY ETP

DRAWING NO. phase 7 S 15

RICHARD L BOWEN AIA and ASSOCIATES

ARCHITECTS PLANNERS ENGINEERS

CLEVELAND, OHIO
FORT LAUDERDALE, FLORIDA
PARIS, FRANCE